


Screwed Fittings

ねじ込み継手

ねじ込み継手


呼び圧力 10K

90°エルボ




単位:mm		
呼び径(A)	呼び径(B)	A ₁
6	1/8	17
8	1/4	19
10	3/8	23
15	1/2	27
20	3/4	32
25	1	38
32	1 1/4	46
40	1 1/2	48
50	2	57
65	2 1/2	69
80	3	78
100	4	96

チーズ




単位:mm		
呼び径(A)	呼び径(B)	A ₁
6	1/8	17
8	1/4	19
10	3/8	23
15	1/2	27
20	3/4	32
25	1	38
32	1 1/4	46
40	1 1/2	48
50	2	57
65	2 1/2	69
80	3	78
100	4	96

ストリートエルボ



単位:mm			
呼び径(A)	呼び径(B)	A ₁	A ₂
6	1/8	17	26
8	1/4	19	30
10	3/8	23	35
15	1/2	27	40
20	3/4	32	47
25	1	38	54
32	1 1/4	45	62
40	1 1/2	48	68
50	2	57	79
65	2 1/2	69	85
80	3	78	98
100	4	—	—


45°エルボ



単位:mm		
呼び径(A)	呼び径(B)	A ₃
6	1/8	16
8	1/4	17
10	3/8	19
15	1/2	21
20	3/4	25
25	1	29
32	1 1/4	34
40	1 1/2	37
50	2	42
65	2 1/2	49
80	3	52
100	4	64


ねじ込み継手

ユニオン




単位:mm			
呼び径(A)	呼び径(B)	L ₁	S ₁
6	1/8	30.5	26
8	1/4	34	30
10	3/8	38.5	35
15	1/2	41.5	40
20	3/4	48.5	47
25	1	54	57
32	1 1/4	56	66
40	1 1/2	60.5	75
50	2	67	90
65	2 1/2	77	109
80	3	85	125
100	4	111.5	157

キャップ




単位:mm			
呼び径(A)	呼び径(B)	H ₂	D ₁
6	1/8	12.5	14
8	1/4	16	18
10	3/8	17	22
15	1/2	21	26
20	3/4	23	34
25	1	27	41
32	1 1/4	30	51
40	1 1/2	30	57.5
50	2	35	70
65	2 1/2	42	88.5
80	3	44	102
100	4	52	130

クロス



単位:mm		
呼び径(A)	呼び径(B)	A ₂
6	1/8	17
8	1/4	19
10	3/8	23
15	1/2	27
20	3/4	32
25	1	38
32	1 1/4	46
40	1 1/2	48
50	2	57
65	2 1/2	69
80	3	78
100	4	96

四角プラグ




単位:mm			
呼び径(A)	呼び径(B)	H ₁	B
6	1/8	16	7
8	1/4	17	9
10	3/8	18	12
15	1/2	22	14
20	3/4	27	17
25	1	32	19
32	1 1/4	33	23
40	1 1/2	34	26
50	2	40	32
65	2 1/2	46	41
80	3	49	46
100	4	59	58

(1)ユニオンはSCS14(316)の場合もナットはSCS13(304)です。
 (2)ユニオン用ガスケットはノンアスベスト(P/ #5650)です。

(3)S₁は二面幅です。(1/8~1/4は六角、3/8~1は八角、1 1/4~3は十角、4は八角ナット)
 (4)Bは四角部の二面幅です。
 (5)キャップのSUS316 1/8"サイズは製作しておりません。


呼び圧力 10K

六角ニップル




単位:mm			
呼び径(A)	呼び径(B)	L ₅	S ₄
6	1/8	28	12
8	1/4	34	14
10	3/8	36	17
15	1/2	40	24
20	3/4	44	29
25	1	52	36
32	1 1/4	56	46
40	1 1/2	60	54
50	2	66	63
65	2 1/2	73	80
80	3	81	95
100	4	92	120

六角ホースニップル



単位:mm				
呼び径(A)	呼び径(B)	L ₆	D ₅	S ₅
6	1/8	—	—	—
8	1/4	43	9	14
10	3/8	45	11	17
15	1/2	53	14	22
20	3/4	65	20.5	27
25	1	73	27	34
32	1 1/4	82	33	43
40	1 1/2	88	39.5	49
50	2	98	52	61
65	2 1/2	—	—	—
80	3	—	—	—
100	4	—	—	—


丸ホースニップル




単位:mm			
呼び径(A)	呼び径(B)	L	D
6	1/8	40	10.5
8	1/4	42	13.8
10	3/8	42	17.3
15	1/2	52	21.7
20	3/4	55	27.2
25	1	60	34.0
32	1 1/4	65	42.7
40	1 1/2	70	48.6
50	2	80	60.5

ねじ込み継手

両ニップル




両長ニップル




O型メートルパイプ




片ニップル



片長ニップル



単位:mm	
呼び径(A)	呼び径(B)
10	3/8




単位:mm			
呼び径(A)	呼び径(B)	L	D
6	1/8	24	10.5
8	1/4	26	13.8
10	3/8	28	17.3
15	1/2	34	21.7
20	3/4	38	27.2
25	1	42	34.0
32	1 1/4	50	42.7
40	1 1/2	50	48.6
50	2	58	60.5
65	2 1/2	70	76.3
80	3	78	89.1
100	4	90	114.3

単位:mm		
呼び径(A)	呼び径(B)	L
6	1/8	—
8	1/4	50 75 100 125 150 200
10	3/8	50 75 100 125 150 200
15	1/2	50 75 100 125 150 200
20	3/4	50 75 100 125 150 200
25	1	50 75 100 125 150 200
32	1 1/4	75 100 125 150 200
40	1 1/2	75 100 125 150 200
50	2	75 100 125 150 200
65	2 1/2	—
80	3	—
100	4	—

U型メートルパイプ



単位:mm	
呼び径(A)	呼び径(B)
10	3/8




※特殊寸法ニップルも製作致します。


(1) S₄、S₅は六角部の二面幅です。

呼び圧力 10K


六角ブッシュ




径違いニップル



径違いソケット



径違いソケット



ねじ込み継手

呼び径		単位:mm	
(A)	(B)	H ₃	S ₂
8×6	¼×⅛	17	14
10×6	⅜×⅛	18	17
10×8	⅜×¼	18	17
15×6	½×⅛	24	24
15×8	½×¼	24	24
15×10	½×⅜	24	24
20×6	¾×⅛	26	29
20×8	¾×¼	26	29
20×10	¾×⅜	26	29
20×15	¾×½	26	29
25×8	1×¼	29	36
25×10	1×⅜	29	36
25×15	1×½	29	36
25×20	1×¾	29	36
32×10	1¼×⅜	32	46
32×15	1¼×½	32	46
32×20	1¼×¾	32	46
32×25	1¼×1	32	46
40×15	1½×½	34	54
40×20	1½×¾	34	54
40×25	1½×1	34	54
40×32	1½×1¼	34	54
50×15	2×½	40	63
50×20	2×¾	40	63
50×25	2×1	40	63
50×32	2×1¼	40	63
50×40	2×1½	40	63
65×25	2½×1	43	80
65×32	2½×1¼	43	80
65×40	2½×1½	43	80
65×50	2½×2	43	80
80×25	3×1	47	95
80×32	3×1¼	47	95
80×40	3×1½	47	95
80×50	3×2	47	95
80×65	3×2½	47	95
100×40	4×1½	52.5	120
100×50	4×2	52.5	120
100×65	4×2½	52.5	120
100×80	4×3	52.5	120

呼び径		単位:mm	
(A)	(B)	L ₂	S ₃
8×6	¼×⅛	28	16
10×6	⅜×⅛	29	19
10×8	⅜×¼	33	19
15×6	½×⅛	—	—
15×8	½×¼	36	24
15×10	½×⅜	37	24
20×6	¾×⅛	—	—
20×8	¾×¼	—	—
20×10	¾×⅜	39	29
20×15	¾×½	42	29
25×8	1×¼	—	—
25×10	1×⅜	—	—
25×15	1×½	45	36
25×20	1×¾	47	36
32×10	1¼×⅜	—	—
32×15	1¼×½	—	—
32×20	1¼×¾	52	46
32×25	1¼×1	54	46
40×15	1½×½	—	—
40×20	1½×¾	—	—
40×25	1½×1	57	54
40×32	1½×1¼	59	54
50×15	2×½	—	—
50×20	2×¾	—	—
50×25	2×1	—	—
50×32	2×1¼	63	63
50×40	2×1½	64	63
65×25	2½×1	—	—
65×32	2½×1¼	—	—
65×40	2½×1½	—	—
65×50	2½×2	—	—
80×25	3×1	—	—
80×32	3×1¼	—	—
80×40	3×1½	—	—
80×50	3×2	—	—
80×65	3×2½	—	—
100×40	4×1½	—	—
100×50	4×2	—	—
100×65	4×2½	—	—
100×80	4×3	—	—


呼び径		単位:mm	
(A)	(B)	L ₃	D ₂
8×6	¼×⅛	25	19
10×6	⅜×⅛	26	22
10×8	⅜×¼	26	22
15×6	½×⅛	—	—
15×8	½×¼	—	—
15×10	½×⅜	—	—
20×6	¾×⅛	—	—
20×8	¾×¼	—	—
20×10	¾×⅜	—	—
20×15	¾×½	—	—
25×8	1×¼	—	—
25×10	1×⅜	—	—
25×15	1×½	—	—
25×20	1×¾	—	—
32×10	1¼×⅜	—	—
32×15	1¼×½	—	—
32×20	1¼×¾	—	—
32×25	1¼×1	—	—
40×15	1½×½	—	—
40×20	1½×¾	—	—
40×25	1½×1	—	—
40×32	1½×1¼	—	—
50×15	2×½	—	—
50×20	2×¾	—	—
50×25	2×1	—	—
50×32	2×1¼	—	—
50×40	2×1½	—	—
65×25	2½×1	—	—
65×32	2½×1¼	—	—
65×40	2½×1½	—	—
65×50	2½×2	—	—
80×25	3×1	—	—
80×32	3×1¼	—	—
80×40	3×1½	—	—
80×50	3×2	—	—
80×65	3×2½	—	—
100×40	4×1½	—	—
100×50	4×2	—	—
100×65	4×2½	—	—
100×80	4×3	—	—

呼び径		単位:mm		
(A)	(B)	L ₄	D ₁	D ₂
8×6	¼×⅛	—	—	—
10×6	⅜×⅛	—	—	—
10×8	⅜×¼	—	—	—
15×6	½×⅛	34	28	16.5
15×8	½×¼	34	28	20
15×10	½×⅜	34	28	23.5
20×6	¾×⅛	—	—	—
20×8	¾×¼	36	34	20
20×10	¾×⅜	36	34	23.5
20×15	¾×½	36	34	28
25×8	1×¼	—	—	—
25×10	1×⅜	43	41	23.5
25×15	1×½	43	41	28
25×20	1×¾	43	41	34
32×10	1¼×⅜	—	—	—
32×15	1¼×½	51	51	28
32×20	1¼×¾	51	51	34
32×25	1¼×1	51	51	41
40×15	1½×½	—	—	—
40×20	1½×¾	55	57.5	34
40×25	1½×1	55	57.5	41
40×32	1½×1¼	55	57.5	51
50×15	2×½	—	—	—
50×20	2×¾	—	—	—
50×25	2×1	60	70	41
50×32	2×1¼	60	70	51
50×40	2×1½	60	70	57.5
65×25	2½×1	—	—	—
65×32	2½×1¼	—	—	—
65×40	2½×1½	70	88.5	57.5
65×50	2½×2	70	88.5	70
80×25	3×1	—	—	—
80×32	3×1¼	—	—	—
80×40	3×1½	—	—	—
80×50	3×2	75	102	70
80×65	3×2½	75	102	88.5
100×40	4×1½	—	—	—
100×50	4×2	—	—	—
100×65	4×2½	—	—	—
100×80	4×3	—	—	—

(1) S₂、S₃は六角部の二面幅です。


呼び圧力 10K

ソケット(平行めねじ)




単位:mm			
呼び径(A)	呼び径(B)	L7	D6
6	1/8	20	13.8
8	1/4	25	17
10	3/8	26	21
15	1/2	33	25
20	3/4	36	31
25	1	43	38
32	1 1/4	48	47
40	1 1/2	48	53
50	2	56	66
65	2 1/2	65	82
80	3	70	95
100	4	84	121

ソケット(テーパめねじ)




単位:mm			
呼び径(A)	呼び径(B)	L8	D7
6	1/8	23	15
8	1/4	29	19
10	3/8	30	22
15	1/2	38	27
20	3/4	40	33
25	1	45	40
32	1 1/4	51	49
40	1 1/2	54	55.5
50	2	64	68
65	2 1/2	73	83
80	3	81	97
100	4	93	125

ハーフソケット(平行めねじ)




単位:mm			
呼び径(A)	呼び径(B)	L9	D8
6	1/8	12	13.8
8	1/4	15	17
10	3/8	16	21
15	1/2	20	25
20	3/4	21	31
25	1	25	38
32	1 1/4	28	47
40	1 1/2	28	53
50	2	34	66
65	2 1/2	39	82
80	3	42	95
100	4	50	121

ハーフソケット(テーパめねじ)




単位:mm			
呼び径(A)	呼び径(B)	L	D
6	1/8	-	-
8	1/4	18	19
10	3/8	18	22
15	1/2	21	27
20	3/4	21	33
25	1	25	40
32	1 1/4	27	49
40	1 1/2	27	55.5
50	2	32	68
65	2 1/2	-	-
80	3	-	-
100	4	-	-

JIS ソケット




単位:mm			
呼び径(A)	呼び径(B)	L	D
6	1/8	19	15.8
8	1/4	27	19
10	3/8	28	23
15	1/2	37	28
20	3/4	39	34.5
25	1	46	41.5
32	1 1/4	51	51
40	1 1/2	51	58
50	2	60	70

サービスチース A




単位:mm			
呼び径(A)	呼び径(B)	A1	A2
6	1/8	17	20
8	1/4	19	24
10	3/8	23	32
15	1/2	27	35
20	3/4	32	40

ユニオンエルボ



単位:mm				
呼び径(A)	呼び径(B)	E	F	S6
10	3/8	49	24	35
15	1/2	54.5	28	40
20	3/4	64	33	47
25	1	73	38	57

サービスチース B




単位:mm			
呼び径(A)	呼び径(B)	A1	A2
6	1/8	17	20
8	1/4	19	24
10	3/8	23	32
15	1/2	27	35
20	3/4	32	40

(1) ユニオンエルボ用ガスケットはノンアスベスト(P/#5650)です。
 (2) S6は二面幅です。(3/8~1寸八角ナット)
 (3) ソケット(平行めねじ)の SUS316 は別途寸法をご確認下さい。

呼び圧力 10K

径違いエルボ




単位:mm

呼び径(A)	呼び径(B)	A ₁	A ₂
10× 8	3/8×1/4	20	22
15× 8	1/2×1/4	24	24
15×10	1/2×3/8	26	25
20× 8	3/4×1/4	25	28
20×10	3/4×3/8	28	28
20×15	3/4×1/2	29	30
25×10	1×3/8	30	31
25×15	1×1/2	32	33
25×20	1×3/4	34	35
32×15	1 1/4×1/2	34	37
32×20	1 1/4×3/4	38	40
32×25	1 1/4×1	40	42
40×20	1 1/2×3/4	38	43
40×25	1 1/2×1	41	45
40×32	1 1/2×1 1/4	45	48
50×25	2×1	44	51
50×32	2×1 1/4	48	54
50×40	2×1 1/2	52	55

※3 段落ち対応可能です。

径違いチーズ



単位:mm

呼び径(A)	呼び径(B)	A ₆	A ₇
10× 8	3/8×1/4	20	22
15× 8	1/2×1/4	24	24
15×10	1/2×3/8	26	25
20× 8	3/4×1/4	25	28
20×10	3/4×3/8	28	28
20×15	3/4×1/2	29	30
25×10	1×3/8	30	31
25×15	1×1/2	32	33
25×20	1×3/4	34	35
32×15	1 1/4×1/2	34	37
32×20	1 1/4×3/4	38	40
32×25	1 1/4×1	40	42
40×20	1 1/2×3/4	38	43
40×25	1 1/2×1	41	45
40×32	1 1/2×1 1/4	45	48
50×25	2×1	44	51
50×32	2×1 1/4	48	54
50×40	2×1 1/2	52	55

※3 段落ち対応可能です。

標準材質は SCS13(304)SCS14(316)となりますが、ニップル、ソケットに限りその他材質の対応可能です。お気軽にお問い合わせ下さい。