



Hygienic
Sampling Valves

Line sampling valve


SV type



Select a valve suitable for the application from 2 types of sampling valves. SVA type is capable of performing sterilization cleaning before and after sampling by feeding a sterile liquid (hot water, steam, etc.) through another system. In case of SVS type, perform sterilization cleaning from the outside before and after sampling. For sterilization with a gas burner, the valve seat needs to be changed to metal-touch type, which is available as an option for SVS type. Both types are equipped with an air cylinder and are capable of cleaning the sampling hole automatically during line CIP. Furthermore, The sequence valve body is used for this valve, its structure is suitable for line sampling.



S type



A type

(mm)



SIZE	φD	C	S	A (Note)	H
1	25.4	105.4	50.4	80	310
1 1/2	38.1	116	61	100	315
2	50.8	122	67	120	320
2 1/2	63.5	128	73	125	330
3	76.3	134	79	140	340
4	101.6	147	92	160	350
5	139.8	170	115	200	370
6	165.2	183	128	220	390

Note) ● When tube end is male, nut, clamp (1 1/2 to 4S), and sanitary flange (1 1/2 to 6S)
 ● Q and H dimensions are when a standard cylinder with air pressure of 0.4MPa is used.

Tank sampling valve

ST type

For tank sampling valves, we can provide specially-designed ones suitable for your purpose and application. Seal part (single seal), valve type (flow change valve, tank valve), size (10A to 1S), etc. can be selected. Tank spud also can be manufactured according to each tank shape.

**H type****H type**

(mm)

SIZE	D	d	A	B	C	H	LH	LK
10A	17.3	14	80	34	24.3	345	369.3	403.3
15A	21.7	18.4	80	38.4	26.5	347.2	373.7	412.1
1S	25.4	23	80	43	28.8	349.5	378.3	421.3

These products are custom-made ones.



Headquarters:

1-32, Honden 2-chome, Nishi-ku, Osaka 550-0022
TEL: +81-6-6585-0700 FAX: +81-6-6586-0708

Trade Department:

TEL: +81-6-6585-2277 FAX: +81-6-6586-0708

TOSTE VIETNAM CO.,LTD

Rental Factory 5-1, Road N3-2, Long Duc IP,
Long Duc Ward, Long Thanh district,
Dong Nai province, Vietnam
TEL: +84-251-368-1800 FAX: +84-251-368-1881

肇慶東洋新島不銹鋼工程有限公司

〒526072 肇慶市鼎湖区蓮花鎮 7 区蓮信路
TEL: +86-758-2619887
FAX: +86-758-261978