


# 異径チース T (R)

単位:mm

単位:kg



呼び径		外径		厚み						中心から端面までの距離		概略重量						
(A)		(B)				Sch10S		Sch20S		Sch40		C		M		Sch10S	Sch20S	Sch40
OD①	OD②	OD①	OD②	OD①	OD②	①	②	①	②	①	②	C	M					
20	15	3/4	1/2	27.2	21.7	2.1	2.1	2.5	2.5	2.9	2.9	28.6	28.6	0.1	0.1	0.1		
	20		3/4	34.0	27.2	2.8	2.1	3.0	2.5	3.4	2.8	38.1	38.1	0.2	0.2	0.2		
25	15	1	1/2	34.0	21.7	2.8	2.1	3.0	2.5	3.4	2.8	38.1	38.1	0.2	0.2	0.2		
	25		1	42.7	34.0	2.8	2.8	3.0	3.0	3.6	3.4	47.6	47.6	0.3	0.3	0.4		
32	20	1 1/4	3/4	42.7	27.2	2.8	2.1	3.0	2.5	3.6	2.9	47.6	47.6	0.3	0.3	0.4		
	15		1/2	42.7	21.7	2.8	2.1	3.0	2.5	3.6	2.8	47.6	47.6	0.3	0.3	0.4		
32	32		1 1/4	48.6	42.7	2.8	2.8	3.0	3.0	3.7	3.6	57.2	57.2	0.5	0.5	0.6		
40	25	1 1/2	1	48.6	34.0	2.8	2.8	3.0	3.0	3.7	3.4	57.2	57.2	0.4	0.5	0.6		
	20		3/4	48.6	27.2	2.8	2.1	3.0	2.5	3.7	2.9	57.2	57.2	0.4	0.4	0.5		
	15		1/2	48.6	21.7	2.8	2.1	3.0	2.5	3.7	2.8	57.2	57.2	0.4	0.4	0.5		
40	40		1 1/2	60.5	48.6	2.8	2.8	3.5	3.0	3.9	3.7	63.5	60.3	0.6	0.7	0.8		
50	32	2	1 1/4	60.5	42.7	2.8	2.8	3.5	3.0	3.9	3.6	63.5	57.2	0.6	0.7	0.8		
	25		1	60.5	34.0	2.8	2.8	3.5	3.0	3.9	3.4	63.5	50.8	0.6	0.7	0.8		
	20		3/4	60.5	27.2	2.8	2.1	3.5	2.5	3.9	2.9	63.5	44.5	0.5	0.7	0.7		
50	50	2	2	76.3	60.5	3.0	2.8	3.5	3.5	5.2	3.9	76.2	69.9	1.0	1.1	1.6		
65	40	2 1/2	1 1/2	76.3	48.6	3.0	2.8	3.5	3.0	5.2	3.7	76.2	66.7	0.9	1.1	1.6		
	32		1 1/4	76.3	42.7	3.0	2.8	3.5	3.0	5.2	3.6	76.2	63.5	0.9	1.1	1.5		
	25		1	76.3	34.0	3.0	2.8	3.5	3.0	5.2	3.4	76.2	57.2	0.9	1.0	1.5		
80	65	2 1/2	2 1/2	89.1	76.3	3.0	3.0	4.0	3.5	5.5	5.2	85.7	82.6	1.3	1.7	2.4		
	50		2	89.1	60.5	3.0	2.8	4.0	3.5	5.5	3.9	85.7	76.2	1.2	1.6	2.2		
80	40	3	1 1/2	89.1	48.6	3.0	2.8	4.0	3.0	5.5	3.7	85.7	73.0	1.2	1.6	2.1		
	32		1 1/4	89.1	42.7	3.0	2.8	4.0	3.0	5.5	3.6	85.7	69.9	1.2	1.5	2.1		
80	80	3	3	101.6	89.1	3.0	3.0	4.0	4.0	5.7	5.5	95.3	92.1	1.7	2.1	3.2		
90	65	3 1/2	2 1/2	101.6	76.3	3.0	3.0	4.0	3.5	5.7	5.2	95.3	88.9	1.6	2.1	3.0		
	50		2	101.6	60.5	3.0	2.8	4.0	3.5	5.7	3.9	95.3	82.6	1.5	2.0	2.9		
	40		1 1/2	101.6	48.6	3.0	2.8	4.0	3.0	5.7	3.7	95.3	79.4	1.5	2.0	2.8		
90	90	3 1/2	3 1/2	114.3	101.6	3.0	3.0	4.0	4.0	6.0	5.7	104.8	101.6	2.1	2.7	4.1		
100	80	4	3	114.3	89.1	3.0	3.0	4.0	4.0	6.0	5.5	104.8	98.4	2.0	2.6	4.0		
	65		2 1/2	114.3	76.3	3.0	3.0	4.0	3.5	6.0	5.2	104.8	95.3	2.0	2.5	3.9		
	50		2	114.3	60.5	3.0	2.8	4.0	3.5	6.0	3.9	104.8	88.9	1.9	2.5	3.7		
100	40	4	1 1/2	114.3	48.6	3.0	2.8	4.0	3.0	6.0	3.7	104.8	85.7	1.8	2.4	3.6		
125	100	5	4	139.8	114.3	3.4	3.0	5.0	4.0	6.6	6.0	123.8	117.5	3.3	4.7	6.4		
	90		3 1/2	139.8	101.6	3.4	3.0	5.0	4.0	6.6	5.7	123.8	114.3	3.2	4.6	6.2		
125	80	5	3	139.8	89.1	3.4	3.0	5.0	4.0	6.6	5.5	123.8	111.1	3.1	4.5	6.1		
	65		2 1/2	139.8	76.3	3.4	3.0	5.0	3.5	6.6	5.2	123.8	108.0	3.1	4.5	5.9		
	50		2	139.8	60.5	3.4	2.8	5.0	3.5	6.6	3.9	123.8	104.8	3.0	4.4	5.8		
150	125	6	5	165.2	139.8	3.4	3.4	5.0	5.0	7.1	6.6	142.9	136.5	4.5	6.4	9.4		
	100		4	165.2	114.3	3.4	3.0	5.0	4.0	7.1	6.0	142.9	130.2	4.3	6.2	9.0		
150	90	6	3 1/2	165.2	101.6	3.4	3.0	5.0	4.0	7.1	5.7	142.9	127.0	4.3	6.1	8.8		
	80		3	165.2	89.1	3.4	3.0	5.0	4.0	7.1	5.5	142.9	123.8	4.2	6.1	8.7		
	65		2 1/2	165.2	76.3	3.4	3.0	5.0	3.5	7.1	5.2	142.9	120.7	4.1	6.0	8.6		
150	150	8	6	216.3	165.2	4.0	3.4	6.5	5.0	8.2	7.1	177.8	168.3	8.4	13.2	17.2		
200	125	8	5	216.3	139.8	4.0	3.4	6.5	5.0	8.2	6.6	177.8	161.9	8.2	13.0	16.7		
	100		4	216.3	114.3	4.0	3.0	6.5	4.0	8.2	6.0	177.8	155.6	7.9	12.8	16.2		
	90		3 1/2	216.3	101.6	4.0	3.0	6.5	4.0	8.2	5.7	177.8	152.4	7.9	12.7	16.1		
200	200	8	8	267.4	216.3	4.0	4.0	6.5	6.5	9.3	8.2	215.9	203.2	12.8	19.9	29.4		
250	150	10	6	267.4	165.2	4.0	3.4	6.5	5.0	9.3	7.1	215.9	193.7	12.2	19.4	28.1		
	125		5	267.4	139.8	4.0	3.4	6.5	5.0	9.3	6.6	215.9	190.5	12.0	19.2	27.7		
	100		4	267.4	114.3	4.0	3.0	6.5	4.0	9.3	6.0	215.9	184.2	11.8	19.0	27.2		
250	250	10	10	318.5	267.4	4.5	4.0	6.5	6.5	10.3	9.3	254.0	241.3	20.1	28.3	46.0		
300	200	12	8	318.5	216.3	4.5	4.0	6.5	6.5	10.3	8.2	254.0	228.6	19.4	27.5	44.0		
	150		6	318.5	165.2	4.5	3.4	6.5	5.0	10.3	7.1	254.0	219.1	18.7	27.0	42.7		
	125		5	318.5	139.8	4.5	3.4	6.5	5.0	10.3	6.6	254.0	215.9	18.6	26.7	42.3		
300	300	12	12	355.6	318.5	5.0	4.5	8.0	6.5	11.1	10.3	279.4	269.9	27.7	42.7	61.7		
350	250	14	10	355.6	267.4	5.0	4.0	8.0	6.5	11.1	9.3	279.4	257.2	26.5	41.7	59.1		
	200		8	355.6	216.3	5.0	4.0	8.0	6.5	11.1	8.2	279.4	247.7	25.9	41.0	57.3		
	150		6	355.6	165.2	5.0	3.4	8.0	5.0	11.1	7.1	279.4	238.1	25.3	40.3	56.0		
400	350	16	14	406.4	355.6	5.0	5.0	8.0	8.0	12.7	11.1	304.8	304.8	35.0	53.3	87.4		
	300		12	406.4	318.5	5.0	4.5	8.0	6.5	12.7	10.3	304.8	295.3	33.8	52.5	85.0		
	250		10	406.4	267.4	5.0	4.0	8.0	6.5	12.7	9.3	304.8	282.6	32.6	51.5	82.4		
450	400	18	16	457.2	406.4	5.0	5.0	8.0	8.0	14.3	12.7	342.9	330.2	43.8	67.0	123.6		
	350		14	457.2	355.6	5.0	5.0	8.0	8.0	14.3	11.1	342.9	320.2	43.2	66.4	120.6		
	300		12	457.2	318.5	5.0	4.5	8.0	6.5	14.3	10.3	342.9	320.2	41.9	65.5	118.1		
	250		10	457.2	267.4	5.0	4.0	8.0	6.5	14.3	9.3	342.9	308.0	40.8	64.5	115.6		
450	450	18	18	508.0	457.2	5.5	5.0	9.5	8.0	15.1	14.3	381.0	368.3	59.0	100.3	159.6		
500	400	16	16	508.0	406.4	5.5	5.0	9.5	8.0	15.1	12.7	381.0	355.6	57.6	96.1	154.2		
	350		14	508.0	355.6	5.5	5.0	9.5	8.0	15.1	11.1	381.0	355.6	57.0	97.1	151.2		
	300		12	508.0	318.5	5.5	4.5	9.5	6.5	15.1	10.3	381.0	346.1	57.0	93.4	146.3		
	250		10	508.0	267.4	5.5	4.0	9.5	6.5	15.1	9.3	381.0	333.4	54.6	93.3	148.6		
200	200	8	8	508.0	216.3	5.5	4.0	9.5	6.5	15.1	8.2	381.0	323.9	54.0	92.4	144.5		
500	500	20	20	558.8	508.0	5.5	5.5	9.5	9.5	15.9	15.1	491.1	406.4	83.4	137.6	239.7		
550	450	22	18	558.8	457.2	5.5	5.0	9.5	8.0	15.9	14.3	491.1	393.7	81.1	136.0	234.1		
	400		16	558.8	406.4	5.5	5.0	9.5	8.0	15.9	12.7	491.1	381.0	79.7	134.5	228.6		
	550		22	609.6	558.8	6.5	5.5	9.5	9.5	17.5	15.9	431.8	431.8	94.2	134.9	255.4		
600	500	24	20	609.6	508.0	6.5	5.5	9.5	9.5	17.5	15.1	431.8	431.8	93.3	133.9	251.6		
	450		18	609.6	457.2	6.5	5.0	9.5	8.0	17.5	14.3	431.8	419.1	91.0	131.9	246.0		
	600		24	660.4	609.6	8.0	6.5	12.7	9.5	—	—	495.3	482.6	144.0	223.2	—		
650	550	26	22	660.4	558.8	8.0	5.5	12.7										